

---

Bibliography

**11**

---

Agarwal, A. (2002). The human crystalline lens, ciliary body, and zonules. Their relevance to Presbyopia. (Chapter two). In: N.S. Thorofare, cop.2002 (Ed.) *Presbyopia: a surgical textbook* .

Altmann, G.E. (2005). Aspheric lenses and lens family. United States Patent: 20050203619, *Application Number: 057278*

Altmann, G.E., Nichamin, L.D., Lane, S.S., & Pepose, J.S. (2005). Optical performance of 3 intraocular lens designs in the presence of decentration. *J. Cataract Refractive Surg.*, 31, 574-585.

Allemann, N., Silverman, R.H., Reinstein, D.Z., & Coleman, D.J. (1993). High-frequency ultrasound imaging and spectral analysis in traumatic hyphema. *Ophthalmology*, 100, 1351-1357.

Applegate, R., Thibos, L., Bradley, A., Marcos, S., Roorda, A., Salmin, T., & Atchison, D. (2000). Reference axis selection: subcommittee Report of the OSA working group to establish standards for measurement and reporting of optical aberrations of the eye. *J. Refractive Surg.*, 16, 656-658.

Applegate, R.A., Donnely, W.J., Marsack, J.D., Koenig, D.E., & Pesudovs, K. (2007). Three-dimensional relationship between high-order root-mean-square wavefront error, pupil diameter, and aging. *J. Opt. Soc. Am. A.*, 24(3), 578-587.

Applegate, R.A., & Howland, H.C. (1997). Refractive surgery, optical aberrations, and visual performance. *J. Refractive Surg.*, 13, 295-299.

Artal, P., Benito, A., & Tabenero, J. (2006). The human eye is an example of robust optical design. *J. Vision*, 6, 1-7.

Artal, P., Berrio, E., Guirao, A., & Piers, P. (2002). Contribution of the cornea and internal surfaces to the change of ocular aberrations with age. *J. Opt. Soc. Am. A.*, 19, 137-143.

Artal, P., & Guirao, A. (1998). Contributions of the cornea and the lens to the aberrations of the human eye. *Optics Letters*, 23 (21), 1713-1715.

Artal, P., Guirao, A., Berrio, E., & Williams, D.R. (2001). Compensation of corneal aberrations by the internal optics in the human eye. *J. Vision*, 1, 1-8.

Artal, P., Marcos, S., Iglesias, I., & Green, D.G. (1996). Optical modulation transfer function and contrast sensitivity with decentered small pupils. *Vision Res.*, 6, 3575-3586.

Artal, P., Marcos, S., Navarro, R., Miranda, I., & Ferro, M. (1995). Through-focus image quality of eyes implanted with monofocal and multifocal intraocular lenses. *Opt. Engineering*, 34, 772-779.

Artal, P.F.M., Miranda I, Navarro R. (1993). Effects of aging in retinal image quality.

## Bibliography

*J. Opt. Soc. Am. A.*, 10, 1656-1662.

Atchison, D.A. (1989). Optical design of intraocular lenses .1. On-axis performance. *Optom. Vis. Sci.*, 66 (8), 492-506.

Atchison, D.A. (1990). Design of aspheric intraocular lenses. *Ophthalmic. Physiol. Opt.*, 11(2), 137-146.

Atchison, D.A., & Smith, G. (1995). Continuous gradient index and shell models of the human lens. *J. Opt. Soc. Am. A.*, 14, 1684-1695.

Atchison, D.A., & Smith, G. (2000a). Monochromatic aberrations of schematic eyes. In: *Optics of the human eye* (Oxford: Butterworth-Heinemann).

Atchison, D.A., & Smith, G. (2000b). *Optics of the Human Eye*. (Oxford: Butterworth-Heinemann).

Augusteyn, R.C., Rosen, A.M., Borja, D., Ziebarth, N.M., & Parel, J.M. (2006). Biometry of primate lenses during immersion in preservation media. *Molecular Vision*, 12, 740-747.

Babcock, H.W. (1953). The possibility of compensating astronomical seeing. *Publications of the Astronomical Society of the Pacific*, 65, 229 (Abstract).

Barbero, S. (2003). Calidad óptica se la córnea y el cristalino: Desarrollo de métodos objetivos de medida y aplicaciones técnicas. *Instituto de Óptica "Daza de Valdés"*, Tesis Doctoral, (pages: 195). Madrid: Consejo Superior de Investigaciones Científicas.

Barbero, S. (2006). Refractive power of a multilayer rotationally symmetric model of the human cornea and tear film. *J. Opt. Soc. Am. A.*, 23, 1578-1585.

Barbero, S., & Marcos, S. (2007). Analytical tools for customized design of monofocal intraocular lenses. *Opt. Express*, 15, 8576-8591.

Barbero, S., Marcos, S., & Jimenez-Alfaro, I. (2003). Optical aberrations of intraocular lenses measured in vivo and in vitro. *J. Opt. Soc. Am. A.*, 20, 1841-1851.

Barbero, S., Marcos, S., Merayo-Llodes, J., & Moreno-Barriuso, E. (2002). Validation of the estimation of corneal aberrations from videokeratography in keratoconus. *J. Cataract Refractive Surg.*, 18, 263-270.

Barry, J.C., Branmann, K., & Dunne, M. (1997). Catoptric properties of eyes with misaligned surfaces studied by exact ray tracing. *Invest. Ophthalmol. Visual Sci.*, 38 (8), 1476-1484.

Barry, J.C., Dunne, M., & Kirschkamp, T. (2001). Phakometric measurement of ocular surface radius of curvature and alignment: evaluation of method with physical model eyes. *Ophthalmic Physiol. Opt.*, 21 (6), 450-460.

Baumeister, M., Neidhardt, B., Strobel, J., & Kohnen, T. (2005). Tilt and Decentration of Three-Piece Foldable High-Refractive Silicone and Hydrophobic Acrylic Intraocular Lenses With 6-mm Optics in an Intraindividual Comparison. *Am. J. Ophthalmol.*, *140*, 1051-1058.

Beers, A., & van der Heijde, G.L. (1994a). In vivo determination of the biomechanical properties of the component elements of the accommodation mechanism. *Vision Res.*, *34*, 2897-2905.

Beers, A.P.A., & van der Heijde, G.L. (1994b). Presbyopia and velocity of sound in the lens. *Optom. Vision Sci.*, *71*, 250-253.

Bellucci, R., Morselli, S., & Pucci, V. (2007). Spherical aberration and coma with an aspherical and a spherical intraocular lens in normal age-matched eyes. *J. Cataract Refractive Surg.*, *33* (2), 203-209.

Bennett, A.G., & Rabbetts, R.B. (1984). Clinical Visual Optics. (pp. 306-309). London, UK: Butterworths.

Bolz, M., Prinz, A., Drexler, W., & Findl, O. (2007). Linear relationship of refractive and biometric lenticular changes during accommodation in emmetropic and myopic eyes. *Br. J. Ophthalmol.*, *91*, 360-365.

Bradley, A., Thibos, L., Zhang, X.X., & Ye, M. (1991). The effects of ocular chromatic aberration on visual performance for displayed achromatic and chromatic information. *Society for Information Display International Symposium* (pp. 304-307). Anaheim, CA: Society for Information Display.

Brown, N. (1973). Slit-image photography and measurement of the eye. *Med Biol Illus*, *23*, 192-203.

Brown, N. (1974). The change in lens curvature with age. *Exp. Eye Res.*, *19*, 175-183.

Brunette, I., Bueno, J.M., Parent, M., Hamam, H., & Simonet, P. (2003). Monochromatic aberrations as a function of age, from childhood to advanced age. *Invest. Ophthalmol. Vis. Sci.*, *44* (12), 5438-5446.

Burd, H.J., Judge, S.J., & Flavell, M.J. (1999). Mechanics of accommodation of the human eye. *Vision Res.*, *39*, 1591-1595.

Busin, M., Wilmanns, I., & Spitznas, M. (1989). Automated corneal topography: computerized analysis of photokeratoscope images. *Graefes. Arch. Clin. Exp. Ophthalmol.*, *227*, 230-236.

Calver, R., Cox, M., & Elliott, D. (1999). Effect of aging on the monochromatic aberrations of the human eye. *J. Opt. Soc. Am. A.*, *16*, 2069-2078.

Campbell, C. (1997). Reconstruction of the corneal shape with the MasterVue Corneal Topography System. *Optom. Vision Sci.*, *74*, 899-905.

Castejon-Mochon, F.J., Lopez-Gil, N., Benito, A., & Artal, P. (2002). Ocular wave-front aberration statistics in a normal young population. *Vision Res.*, *42*, 1611-1617.

Cline, D., Hofstetter, H.W., & Griffin, J.R. (1989). Dictionary of Visual Science. (ChiltonTrade Book Publishing).

Cobb, M.J., Liu, X.M., & Li, X.D. (2005). Continuous focus tracking for real-time optical coherence tomography. *Opt. Lett.*, *30*, 1680-1682.

Coleman, D.J., Woods, S., Rondeau, M.J., & Silverman, R.H. (1992). Ophthalmic ultrasonography. *Radiol. Clin. North. Am.*, *30*, 1105-1114.

Coletta, N., Han, H., & Moskowitz, A. (2006). Internal compensation of lateral coma aberration: relationship to refractive error: ARVO E-Abstract 1504. *Invest. Ophthalmol. Vis. Sci.*, *48*

Cook, C., & Koretz, J.F. (1998). Methods to obtain quantitative parametric descriptions of the optical surfaces of the human crystalline lens from scheinpflug slit-lamp images I. image processing methods. *J. Opt. Soc. Am. A.*, *15* (6), 1473-1485.

Coopens, J.E., Van den Berg, T.J., & Budo, D.J. (2005). Biometry of phakic intraocular lens using Scheimpflug photography. *J. Cataract Refractive Surg.*, *31*, 1904-1914.

Crawford, K., Kaufman, P.L., & Bito, L.Z. (1990). The role of the iris in accommodation of rhesus monkeys. *Invest. Ophthalmol. Visual Sci.*, *31*, 2185-2190.

Croft, M., Glasser, A., Heatley, G., McDonald, J., Ebbert, T., Nadkarni, N., & Kaufman, P. (2006). The zonula, lens, and circumlental space in the normal iridectomized rhesus monkey eye. *Invest. Ophthalmol. Vis. Sci.*, *47*, 1087-1095.

Croft, M.A., Glasser, A., & Kaufman, P.L. (2001). Accommodation and presbyopia. *Int. Ophthalmol. Clin.*, *41*, 33-46.

Cusumano, A., Coleman, D.J., Silverman, R.H., Reinstein, D.Z., Rondeau, M.J., Ursea, R., Daly, S.M., & Lloyd, H.O. (1998). Three-dimensional ultrasound imaging. Clinical applications. *Ophthalmology*, *105*, 300-306.

Chen, B., & Makous, W. (1989). Light capture by human cones. *J. Physiol.*, *414*, 89-109.

Chen, L., Kruger, P., Hofer, H., Singer, B., & Williams, D. (2006). Accommodation with higher-order monochromatic aberrations corrected with adaptive optics. *J. Opt. Soc. Am. A.*, *23*, 1-8.

Cheng, H., Barnett, J., Vilupuru, A., Marsack, J., Kasthurirangan, S., Applegate, R., & Roorda, A. (2004). A population study on changes in wave aberrations with accommodation. *J. Vision*, *4*, 272-280.

- Chinn, S.R., Swanson, E.A., & Fujimoto, J.G. (1997). Optical coherence tomography using a frequency-tunable optical source. *Opt. Lett.*, *22*, 340-342.
- Choma, M.A., Hsu, K., & Izatt, J.A. (2005). Swept source optical coherence tomography using an all-fiber 1300-nm ring laser source. *J. Biomed. Opt.*, *10*
- Choma, M.A., Sarunic, M.V., Yang, C., & Izatt, J.A. (2003). Sensitivity advantage of swept source and Fourier domain optical coherence tomography. *Opt. Express*, *11*, 2183-2189.
- Chung, S.H., Lee, S.J., Lee, H.K., Seo, K.Y., & Kim, E.K. (2007). Changes in higher order aberrations and contrast sensitivity after implantation of a phakic artisan intraocular lens. *Ophthalmologica.*, *221*, 167-172.
- de Boer, J.F., Cense, B., Park, B.H., Pierce, M.C., Tearney, B.E., & Bouma, B.E. (2003). Improved signal-to-noise ratio in spectral-domain compared with time-domain optical coherence tomography. *Opt. Lett.*, *28*, 2067-2069.
- de Castro, A., Rosales, P., & Marcos, S. (2007). Tilt and decentration of intraocular lenses in vivo from Purkinje and Scheimpflug imaging - Validation study. *J. Cataract Refractive Surg.*, *33* (3), 418-429.
- de Guzman, M.H.P., Thiagalingam, S., Ong, P.Y., & Goldberg, I. (2005). Bilateral acute angle closure caused by supraciliary effusions associated with venlafaxine intake. *Medical J. Australia.*, *182*, 121-123.
- Dick, G. (1994). Optical method for estimating the equivalent refractive index of the crystalline lens in vivo. *Ophthalmic Physiol. Opt.*, *14* (2), 177-183.
- Doan, K.T., Olson, R.J., & Mamalis, N. (2002). Survey of intraocular lens material and design. *Current Opinion in Ophthalmology*, *13*, 24-29.
- Dorransoro, C., Barbero, S., Llorente, L., & Marcos, S. (2003). On-eye measurement of optical performance of Rigid Gas Permeable contact lenses based on ocular and corneal aberrometry. *Optom. Vis. Sci.*, *80*, 115-125.
- Downey, D.B., Nicolle, D.A., Levin, M.F., & Fenster, A. (1996). 3-D ultrasound imaging of the eye. *Eye*, *10*, 75-81.
- Drexler, W., Baumgartner, A., Findl, O., Hitzenberger, C., Sattmann, H., & Fercher, A. (1997). Submicrometer precision biometry of the anterior segment of the human eye. *Invest. Ophthalmol. Vis. Science*, *38* (7), 1304-1313.
- Drexler, W., Findl, O., Menapace, R., Rainer, G., Vass, C., Hitzenberger, C., & Fercher, A. (1998). Partial coherence interferometry: a novel approach to biometry in cataract surgery. *Am. J. Ophthalmol.*, *126* (4), 524-534.

Drexler, W., Hitzenberger, C.K., Sattmann, H., & Fercher, A.F. (1995). Measurement of the thickness of fundus layers by partial coherence tomography. *Opt. Engineering*, *34*, 701-710.

Drexler, W., Morgner, U., Kartner, F.X., Pitris, C., Boppart, S.A., Li, X.D., Ippen, E.P., & Fujimoto, J.G. (1999). In vivo ultrahigh-resolution optical coherence tomography. *Opt. Lett.*, *24*, 1221-1223.

Dubbelman M, Sicam VA, & van der Heijde G. L (2006). The shape of the anterior and posterior surface of the aging human cornea. *Vision Res.*, *46(6-7)*, 993-1001.

Dubbelman M, van der Heijde G.L, & HA., W. (2001). The thickness of the aging human lens obtained from corrected Scheimpflug images. *Optom Vis Sci*, *78*, 411-416.

Dubbelman, M., & Heijde, V. (2001). The shape of the aging human lens: curvature, equivalent refractive index and the lens paradox. *Vision Res.*, *41*, 1867-1877.

Dubbelman, M., Sicam, A., & van der Heijde, G.L. (2007). The contribution of the posterior surface to the coma aberration of the human cornea. *J. Vision*, *7*, 1-8.

Dubbelman, M., Sicam, V.A., & van der Heijde, G.L. (2006). The shape of the anterior and posterior surface of the aging human cornea. *Vision Res.*, *46(6-7)*, 993-1001.

Dubbelman, M., van der Heijde, G.L., & Weeber, H.A. (2001b). The thickness of the aging human lens: curvature equivalent refractive index and the lens paradox. *Vision Res.*, *41*, 1867-1877.

Dubbelman, M., van der Heijde, G.L., & Weeber, H.A. (2005). Change in shape of the aging human crystalline lens with accommodation. *Vision Res.*, *45*, 117-132.

Dubbelman, M., Weeber, H.A., van der Heijde, G.L., & Volker-Dieben, H.J. (2002). Radius and asphericity of the posterior corneal surface determined by corrected Scheimpflug photography. *Acta Ophthalmol. Scand.*, *80*, 379-383.

Dunne, M., Davies, L.N., Mallen, E.A.H., Kirschkamp, T., & Barry, J.C. (2005). Non-invasive phakometric measurement of corneal and crystalline lens alignment in human eyes. *Ophthalmic Physiol. Opt.*, *25*, 143-152.

Dunne, M., Royston, J., & Barnes, D. (1991). Posterior corneal surface toricity and total corneal astigmatism. *Optom. Vision Sci.*, *68*, 708-710.

El Hage, S.G., & Berny, F. (1973). Contribution of the crystalline lens to the spherical aberration of the eye. *J. Opt. Soc. Am. A.*, *63*, 205-211.

Ellis, M. (2001). Sharp-edged intraocular lens design as a cause of permanent glare. *J. Cataract Refractive Surg.*, *27*, 1061-1064.

Escudero-Sanz, I., & Navarro, R. (1999). Off-axis aberrations of a wide-angle schematic eye model. *J. Opt. Soc. Am. A.*, *16*, 1-11.

- Farbowitz, M.A., Zabriskie, N., & Crandall, A.S. (2000). Visual complaints associated with the Acrysof Acrylic intraocular lens. *J. Cataract Refractive Surg.*, 26, 1339-1345.
- Faucher, A., & Rootman, D.S. (2001). Dislocation of a plate-haptic silicone intraocular lens into the anterior chamber. *J. Cataract Refractive Surg.*, 27, 169-171.
- Fercher, A.F., Hitzenberger, C.K., Drexler, W., Kamp, G., & Sattmann, H. (1993). In vivo optical coherence tomography. *Am. J. Ophthalmol.*, 116, 113-114.
- Fercher, A.F., Hitzenberger, C.K., Kamp, G., & Elzaiat, S.Y. (1995). Measurement of intraocular distances by backscattering spectral interferometry. *Opt. Commun.*, 117, 43-48.
- Fernandez, E.J., & Artal, P. (2005). Study on the effects of monochromatic aberrations in the accommodation response by using adaptive optics. *J. Opt. Soc. Am. A.*, 22, 1732-1738.
- Fincham, E.F. (1925). The changes in the form of the crystalline lens in accommodation. *Trans. Ophthal. Soc.*, 26, 239-269.
- Findl, O., Drexler, W., Menapace, R., Heinzl, H., Hitzenberger, C.K., & Fercher, A.F. (2001). Improved prediction of intraocular lens power using partial coherence interferometry. *J. Cataract Refractive Surg.*, 27, 861-867.
- Fisher, R.F. (1971). The elastic constant of the human lens. *J. Physiol.*, 1971, 147-212.
- Fisher, R.F. (1977). The force of contraction of the human ciliary muscle during accommodation. *J. Physiol.*, 270:251.
- García de la Cera, E., Rodriguez, G., & Marcos, S. (2006). Longitudinal changes of optical aberrations in normal and form-deprived myopic chick eyes. *Vision Research*, 46, 579-589.
- Garner, L.F. (1983). Mechanisms of Accommodation and Refractive Error. *Ophthalmic Physiol. Opt.*, 3, 287-293.
- Garner, L.F. (1997). Calculation of the radii of curvature of the crystalline lens surfaces. *Ophthalmic Physiol. Opt.*, 17, 75-80.
- Garner, L.F., Ooi, C., & Smith, G. (1998). Refractive index of the crystalline lens in young and aged eyes. *Clin. Exp. Optom.*, 81, 145-150.
- Garner, L.F., & Smith, G. (1997). Changes in equivalent and gradient refractive index of the crystalline lens with accommodation. *Optom. Vision Sci.*, 74, 114-119.
- Garner, L.F., & Yap, M.K.H. (1997). Changes in ocular dimensions and refraction with accommodation. *Ophthalmic Physiol. Opt.*, 17, 12-17.
- Glasser, A., & Campbell, M. (1998). Presbyopia and the optical changes in the human crystalline lens with age. *Vision Res.*, 38, 209-229.



- Glasser, A., & Campbell, M. (1999). Biometric, optical and physical changes in the isolated human crystalline lens with age in relation to presbyopia. *Vision Res.*, *39*, 1991-2015.
- Glasser, A., Croft, M.A., & Kaufman, P. (2001). Aging of the human lens and presbyopia. *Int Ophthalmol Clin.*, *41*, 1-15.
- Glasser, A., & Kaufman, P.L. (1999). The mechanism of accommodation in primates. *Ophthalmology*, *106*, 863-872.
- Glasser, A., Wendt, M., & Ostrin, L.A. (2006). Accommodative changes in lens diameter in rhesus monkeys. *Invest. Ophthalmol. Vis. Science*, *47*, 278-286.
- Goldsmith, J.A., Li, Y., Chalita, M.R., Westphal, V., Patil, C.A., Rollins, A.M., Izatt, J.A., & Huang, D. (2005). Anterior chamber width measurement by high-speed optical coherence tomography. *Ophthalmology*, *112*, 238-244.
- Guirao, A., Gonzalez, C., Redondo, M., Geraghty, E., Norrby, S., & Artal, P. (1999). Average optical performance of the human eye as a function of age in a normal population. *Invest. Ophthalmol. Vis. Sci.*, *40*, 203-213.
- Guirao, A., Redondo, M., & Artal, P. (2000). Optical aberrations of the human cornea as a function of age. *J. Opt. Soc. Am. A.*, *17*, 1697-1702.
- Guirao, A., Redondo, M., Geraghty, E., Piers, P., Norrby, S., & Artal, P. (2002). Corneal optical aberrations and retinal image quality in patients in whom monofocal intraocular lenses were implanted. *Archives of Ophthalmology*, *120*, 1143-1151.
- Guirao, A., Tejedor, J., & Artal, P. (2004). Corneal aberrations before and after small-incision cataract surgery. *Invest. Ophthalmol. Vis. Science*, *45*, 4312-4319.
- Gullstrand, A. (1909). appendix in H. von Helmholtz. In: *Handbuch der Physiologischen Optik* (pp. Bd. 1, p.299). Hamburg: Voss.
- Gullstrand, A. (1911). Demonstration der Nernstspaltlampe. Edit: Heidelberger Bericht
- Guyton, D., Uozato, H., & Wisnick, H. (1990). Rapid determination of intraocular lens tilt and decentration through the undilated pupil. *Ophthalmology*, *97*, 1259-1264.
- Hartmann, J. (1900). Bemerkungen über den Bau und die Justierung von Spektrographen. *Zeitschrift für Instrumentenkunde*, *20*, 47.
- Häusler, G., & Lindner, M.W. (1998). "Coherence radar" and "spectral radar"- new tools for dermatological diagnosis. *J. Biomed. Opt.*, *3*, 21-31.
- Hayashi, K., Hayashi, H., & Hayashi, F. (1995). Topographic analysis of the changes in corneal shape due to aging. *Cornea*, *14*, 527-532.

- Hayashi, K., Hayashi, H., & Nakao, F. (1998). Quantitative comparison of posterior capsule opacification after polymethylmethacrylate, silicone, and soft acrylic intraocular lens implantation. *Arch. Ophthalmol.*, *116*, 1579-1582.
- Hayashi, K., Hayashi, H., Nakao, F., & Hayashi, F. (1998). Comparison of decentration and tilt between one piece and three piece polymethyl methacrylate intraocular lenses. *Br. J. Ophthalmol.*, *82*, 419-422.
- Hayashi, K., Hayashi, H., Nakao, F., & Hayashi, F. (2000). Influence of astigmatism on multifocal and monofocal intraocular lenses. *Am. J. Ophthalmol.*, *130*, 477-482.
- Hayashi, K., Hayashi, H., Oshika, T., & Hayashi, F. (2000). Fourier analysis of irregular astigmatism after implantation of 3 types of intraocular lenses. *J. Cataract Refractive Surg.*, *26*, 1510-1506.
- He, J.C., Burns, S.A., & Marcos, S. (2000). Monochromatic aberrations in the accommodated human eye. *Vision Res.*, *40*, 41-48.
- He, J.C., Marcos, S., Webb, R.H., & Burns, S.A. (1998). Measurement of the wave-front aberration of the eye by a fast psychophysical procedure. *J. Opt. Soc. Am. A.*, *15*, 2449-2456.
- Hemenger, R.P., Garner, L.F., & Ooi, C. (1995). Change with age of the refractive index gradient of the human ocular lens. *Invest. Ophthalmol. Vis. Science*, *36*, 703-707.
- Hermans, E.A., Dubbelman, M., van der Heijde, G.L., & Heethaar, R.M. (2006). Estimating the external force acting on the human eye lens during accommodation by finite element modelling. *Vision Res.*, *46*, 3642-3650.
- Herzberger, M. (1969). Colour Correction in Optical Systems and a New Dispersion Formula. *Opt. Acta*, *5*, 197-215.
- Hitzenberger, C.K. (1991). Optical measurement of the axial eye length by laser Doppler interferometry. *Invest. Ophthalmol. Vis. Sci.*, *32*, 616-624.
- Ho, A., Erickson, P., Manns, F., & Parel, J.M. (2006). Supplementary endo-capsular lens and method of implantation., (*United States Patent: 7060095, Application Number: 7060095*).
- Hofer, H., Artal, P., Singer, B., Aragon, J., & Williams, D. (2001). Dynamics of the eye's wave aberration. *J. Opt. Soc. Am. A.*, *18* (3), 497-506.
- Holladay, J., Piers, P., Koranyi, G., van der Mooren, M., & Norrby, N. (2002). A new intraocular lens design to reduce spherical aberration of pseudophakic eyes. *J. Refractive Surg.*, *18*, 683-691.
- Howland, B. (1960). Use of crossed cylinder lens in photographic lens evaluation. *Applied Optics*, *7*, 1587-1588.

## Bibliography

Howland, B., & Howland, H.C. (1976). Subjective measurement of high-order aberrations of the eye. *Science*, *193*, 580-582.

Howland, H.C. (2005). Allometry and scaling of wave aberration of eyes. *Vision Res.*, *45*, 1091-1093.

Howland, H.C., & Howland, B. (1977). A subjective method for the measurement of the monochromatic aberrations of the eye. *J. Opt. Soc. Am. A.*, *67*, 1508-1518.

Huang, D., Swanson, E., Lin, C.P., Schuman, J.S., Stinson, W.G., Chang, W., Hee, M.R., Flotte, T., Gregory, K., & Pulifito, C.A. (1991). Optical coherence tomography. *Science*, *254*, 1178-1181.

Ismet, D. (2000). Tilt and decentration after primary and secondary transsclerally sutured posterior chamber intraocular lens implantation. *J Cataract Refract Surg.*, *27*, 227:232.

Israel, H.M. (2003). Accommodating intraocular lens assembly., (*United States Patent: 6524340, Application Number: 862426*) .

Izatt, J.A., Hee, M.R., Swanson, E.A., Lin, C.P., Huang, D., Schuman, J.S., Puliafito, C.A., & Fujimoto, J.G. (1994). Micrometer-scale resolution imaging of the anterior eye in vivo with optical coherence tomography. *Arch. Ophthalmol.*, *112*, 1584-1589.

Jacobs, B., Gaynes, B.L., & Deutsch, T.A. (1999). Refractive astigmatism after oblique clear corneal phacoemulsification cataract incision. *J. Cataract Refractive Surg.*, *25*, 949-952.

Jae Soon Kim, & Shyn, K.H. (2001). Biometry of 3 types of intraocular lenses using Scheimpflug photography. *J. Cataract Refractive Surg.*, *27*, 533-536.

Jensen, P.K., & Hansen, M.K. (1991). Ultrasonographic, three-dimensional scanning for determination of intraocular tumor volume. *Acta Ophthalmol.*, 178-186.

Jezzi, R., Rosen, R.B., & Tello, C. (1996). Personal computer-based 3-dimensional ultrasound biomicroscopy of the anterior segment. *Arch. Ophthalmol.*, *114*, 520-524.

Judge, S.J., & Burd, H.J. (2002). Modelling the mechanics of accommodation and presbyopia. *Ophthalmic Physiol. Opt.*, *22*, 397-400.

Jung, C.K., Chung, S.K., & Baek, N.H. (2000). Decentration and tilt: silicone multifocal versus acrylic soft intraocular lenses. *J. Cataract Refractive Surg.*, *26*, 582-585.

Kasthurirangan, S., Markwell, E., Atchison, D.A., Pope, J.M., & Smith, G. (2007). Magnetic resonance imaging study of crystalline lens shape with accommodation and age. *Invest. Ophthalmol. Vis. Science*, *48*:E-Abstract 6008

Kaufman, P.L., & Lütjen-Drecoll, E. (1975). Total iridectomy in the primate in vivo: surgical technique and postoperative anatomy. *Invest. Ophthalmol.* , *14*, 766-771.

- Kelly, J.E., Mihashi, T., & Howland, H.C. (2004). Compensation of corneal horizontal/vertical astigmatism, lateral coma, and spherical aberration by internal optics of the eye. *J. Vision*, 4, 262-271.
- Kim, J., S., & Shyn, K.H. (2001). Biometry of 3 types of intraocular lenses using scheimpflug photography. *J. Cataract Refractive Surg.*, 27, 533-536.
- Kirschkamp, T., Dunne, M., & Barry, J.C. (2004). Phakometric measurement of ocular surface radii of curvature, axial separations and alignment in relaxed and accommodated human eyes. *Ophthalmic Physiol. Opt.*, 24, 65-73.
- Kisilak, M.L., Campbell, M.C.W., Hunter, J.J., Irving, E.L., & Huang, L. (2006). Aberrations of chick eyes during normal growth and lens induction of myopia. *Journal of Comparative Physiology A -Neuroethology Sensory Neural and Behavioral Physiology*, 192 (8), 845-855.
- Kohnen, T., & Kasper, T. (2005). Incision sizes before and after implantation of 6-mm optic foldable intraocular lenses using Monarch and Unfolder injector systems. *Ophthalmology*, 112, 58-66.
- Koopmans, S.A., Terwee, T., Glasser, A., Wendt, M., Vilupuru, A.S., van Kooten, T.G., & et al (2006). Accommodative lens refilling in rhesus monkeys. *Invest. Ophthalmol. Vis. Science*, 47, 2976-2984.
- Koretz, J.F., Bertasso, A., Neider, M., & Kaufman PL (1988). Slit-lamp studies of the rhesus monkey eye: III. The zones of discontinuity. *Exp. Eye Res*, 46, 871-880.
- Koretz, J.F., Bertasso, A.M., Neider, M.W., True-Galbelt, B.A., & Kaufman, P.L. (1987). Slit-lamp studies of the rhesus monkey eye:II. Changes in crystalline lens shape, thickness and position during accommodation and aging. *Exp. Eye Res.*, 45, 317-326.
- Koretz, J.F., Cook, C., & Kaufman, P. (1997). Accommodation and presbyopia in the human eye. Changes in the anterior segment and crystalline lens with focus. *Invest. Ophthalmol. Vis. Sci.*, 38, 569-578.
- Koretz, J.F., Cook, C., & Kaufman, P. (2001). Aging of the human lens: changes in lens shape at zero-diopter accommodation. *J. Opt. Soc. Am. A.*, 18, 265-272.
- Koretz, J.F., Cook, C., & Kaufman, P. (2002). Aging of the human lens: changes in lens shape upon accommodation and with accommodative loss. *J Opt Soc Am A*, 19, 144-151.
- Koretz, J.F., Cook, C.A., & Kuszak, J.R. (1994). The zones of discontinuity in the human lens: development and distribution with age. *Vision Res.*, 34, 2955-2962.
- Koretz, J.F., & Handelman, G. (1986). The lens paradox and image formation in accommodating human lenses. *Top. Aging. Res. Eur*, 6, 57-64.
- Koretz, J.F., & Handelman, G.H. (1988). How the human eye focuses. *Sci. Am*, 92

## Bibliography

- Koretz, J.F., Handelman, G.H., & Brown, N. (1984). Analysis of human crystalline lens shape, thickness and position during accommodation and aging. *Exp. Eye Res.*, *45*, 317-326.
- Koretz, J.F., Kaufman, P.L., Neider, M.W., & Goeckner, P.A. (1989). Accommodation and presbyopia in the human eye, aging of the anterior segment. *Vision Res.*, *1989*, 1685-1692.
- Koretz, J.F., Neider, M.W., Kaufman, P.L., Bertasso, A.M., DeRousseau, C.J., & Bitto, L.Z. (1987). Slit-lamp studies of the rhesus monkey eye. I. Survey of the anterior segment. *Exp. Eye Res.*, *44*, 307-318.
- Koretz, J.F., Strenk, S.A., Strenk, L.M., & Semmlow, J.L. (2004). Scheimpflug and high-resolution magnetic resonance imaging of the anterior segment: a comparative study. *J. Opt. Soc. Am. A.*, *21*, 346-354.
- Krag, S., Olsen, T., & Andreassen, T. (1997). Biomechanical characteristics of the human anterior lens capsule in relation to age. *Invest. Ophthalmol. Vis. Science*, *38*, 357-363.
- Kriechbaum, K., Findl, O., Kiss, B., Sacu, S., Petternel, V., & Drexler, W. (2003a). Comparison of anterior chamber depth measurement methods in phakic and pseudophakic eyes. *J Cataract Refractive Surg.*, *29*, 89-94.
- Kriechbaum, K., Findl, O., Preussner, P.R., Koppl, C., Wahl, J., & Drexler, W. (2003). Determining postoperative anterior chamber depth. *J. Cataract Refractive Surg.*, *29*, 2122-2126.
- Krueger, R., Seiler, T., Gruchman, T., Mrochen, M., & Berlin, M. (2001). Stress wave amplitudes during laser surgery of the cornea. *Ophthalmology*, *108*, 1070-1074.
- Küchle, M., Seitz, B., Langenbucher, A., & et al (2004). Comparison of 6-month results of implantation of the 1CU accommodative intraocular lens with conventional intraocular lenses. *Ophthalmology*, *111*, 318-124.
- Kuszak, J.R. (2004). Development of lens sutures. *Int. J Dev Biol.*, *48*, 889-902.
- Kuszak, J.R., Peterson, K.L., Sivak, J.G., & Herbert, K.L. (1994). The interrelationship of lens anatomy and optical quality. II. Primate lens. *Exp. Eye Res*, *59*, 521-535.
- Lapuerta, P., & Schein, J. (1995). A four-surface schematic eye of macaque monkey obtained by an optical method. *Vision Res.*, *35*, 2245-2254.
- Le Grand, Y., & El Hage, S.G. (1980). Physiological Optics (Vol. 1). *Springer Series in Optical Sciences* (Berlin-Heidelberg: Springer Verlag.
- Lee, C.S., & Simpson, M.J. (1997). Diffractive multifocal ophthalmic lens. *Patent Number: 5699142, Application Number: 655346* (Alcon Laboratories, Inc.)
- Lewis, R. (1983). *The Conquest of Presbyopia*. (p. 111). Sydney, Austr.: R. & M. Lewis.

- Lexer, F., Hitzengerger, C.K., Drexler, W., Molebny, S., Sattmann, H., Sticker, M., & Fercher, A.F. (1999). Dynamic coherent focus OCT with depthindependent transversal resolution. *J. Md. Opt.*, *46*, 541-553.
- Li, Y., Shekhar, R., & Huang, D. (2006). Corneal pachimetry mapping with high-speed optical coherence tomography. *Ophthalmology*, *113*, 792-799.
- Liang, J., Grimm, B., Goelz, S., & Bille, J.F. (1994). Objective measurement of wave aberrations of the human eye with the use of a Hartmann-Shack wave-front sensor. *J. Opt. Soc. Am.*, *11*, 1949-1957.
- Llorente, L., Barbero, S., Cano, D., Dorronsoro, C., & Marcos, S. (2004). Myopic versus hyperopic eyes: axial length, corneal shape and optical aberrations. *J. Vision*, *4*, 288.
- Llorente, L., Diaz-Santana, L., Lara-Saucedo, D., & Marcos, S. (2003). Aberrations of the human eye in visible and near infrared illumination. *Optom. Vision Sci.*, *80*, 26-35.
- Maldonado, M.J., Nieto, J.C., Díez-Cuenca, M., & Piñero, D.P. (2006). Repeatability and reproducibility of posterior corneal curvature measurements by combined scanning-slit and placido-disc topography after LASIK. *Ophthalmology*, *113*, 1918-1926.
- Mandell, R. (1995). Locating the corneal sighting center from videokeratography. *J. Cataract Refractive Surg.*, *11*, 253-258.
- Marcos, S. (2005). Calidad de imagen retiniana. *Investigación y Ciencia*, *34*, 6674.
- Marcos, S., Barbero, B., Llorente, L., & Merayo-Llodes, J. (2001a). Optical response to LASIK for myopia from total and corneal aberrations. *Invest. Ophthalmol. Vis. Science*, *42*, 3349-3356.
- Marcos, S., Barbero, S., & Jiménez-Alfaro, I. (2005). Optical quality and depth-of-field of eyes implanted with spherical and aspheric intraocular lenses. *J. Refractive Surg.*, *21*, 223-235.
- Marcos, S., Barbero, S., McLellan, J.S., & Burns, S.A. (2003). Optical quality of the eye and aging. In: S.I. (2004) (Ed.) *Wavefront customized visual correction: The quest for supervision II*. (p. 416).
- Marcos, S., & Burns, S.A. (2000). On the symmetry between eyes of wavefront aberration and cone directionality. *Vision Res.*, *40*, 2437-2447.
- Marcos, S., Burns, S.A., Moreno-Barriuso, E., & Navarro, R. (1999). A new approach to the study of ocular chromatic aberrations. *Vision Res.*, *39*, 4309-4323.
- Marcos, S., Burns, S.A., Prieto, P.M., Navarro, R., & Baraibar, B. (2001b). Investigating sources of variability of monochromatic and transverse chromatic aberrations across eyes. *Vision Res.*, *41*, 3861-3871.

Marcos, S., Díaz-Santana, L., Llorente, L., & C., D. (2002). Ocular aberrations with ray tracing and Shack-Hartmann wavefront sensors: does polarization play a role? *J. Opt. Soc. Am. A.*, *19*, 1063-1072.

Marcos, S., Rosales, P., Llorente, L., & Jimenez-Alfaro, I. (2007). Change in corneal aberrations after cataract surgery with 2 types of aspherical intraocular lenses. *J. Cataract Refractive Surg.*, *33* (2), 217-226.

McDonald, M.B. (2003). Intraocular multifocal lenses. Nashville, TN, United States Patent Number: 20060293747, Application Number:20060293747.

McGinty, S.J., & Truscott, R.J. (2006). Presbyopia: the first stage of nuclear cataract? *Ophthalmic Res.*, *38*, 137-148.

McLellan, J., Marcos, S., & Burns, S. (2001). Age-related changes in monochromatic wave aberrations in the human eye. *Invest. Ophthalmol. Visual Sci.*, *42*, 1390-1395.

McLellan, J.S., Marcos, S., Prieto, P.M., & Burns, S.A. (2002). Imperfect optics may be the eye's defense against chromatic blur. *Nature*, *417*, 174-176.

McWhae, J.A., & Reimer, J. (2000). The mechanism of accommodation in primates. *Ophthalmology*, *107*, 627-628.

Mester, U., Dillinger, P., & Anterist, N. (2003). Impact of a modified optic design on visual function: clinical comparative study. *J. Cataract Refractive Surg.*, *29*, 653-660.

Millodot, M., & Sivak, J. (1979). Contribution of the cornea and lens to the spherical aberration of the eye. *Vision Res.*, *19*, 685-687.

Moffat, B., Atchison, D., & Pope, J. (2002a). Age-related changes in refractive index distribution and power of the human lens as measured by magnetic resonance micro-imaging in vitro. *Vision Res.*, 1683-1693.

Moffat, B.A., Atchison, D.A., & Pope, J.M. (2002b). Explanation of the Lens Paradox. *Optom. Vision Sci.*, *79*, 147-149.

Moreno-Barriuso, E., Marcos, S., Navarro, R., & Burns, S.A. (2001a). Comparing Laser Ray Tracing, Spatially Resolved Refractometer and Hartmann-Shack sensor to measure the ocular wavefront aberration. *Optom. Vision Sci.*, *78*, 152 - 156.

Moreno-Barriuso, E., Merayo-Llodes, J., Marcos, S., Navarro, R., Llorente, L., & Barbero, S. (2001b). Ocular aberrations before and after myopic corneal refractive surgery: LASIK-induced changes measured with Laser Ray Tracing. *Invest. Ophthalmol. Vis. Science*, *42*, 1396-1403.

Moreno-Barriuso, E., & Navarro, R. (2000). Laser Ray Tracing versus Hartmann-Shack Sensor for Measuring Optical Aberrations in the Human Eye. *J. Opt. Soc. Am. A.*, *17*, 974-985.

- Mundt, G.H., & Hughes, W.F. (1956). Ultrasonics in ocular diagnosis. *Am. J. Ophthalmol.*, *41*, 488-498.
- Mutti, D., Zadnik, K., & Adams, A. (1992). A video technique for phakometry of the human crystalline lens. *Invest Ophthalmol Vis Sci.*, *33*, 1771-1782.
- Mutti, D., Zadnik, K., Fusaro, R., Friedman, N., Sholtz, R., & Adams, A. (1998). Optical and structural development of the crystalline lens in childhood. *Invest Ophthalmol Vis Sci.*, *39*:120-133.
- Myers, R.I., & Krueger, R.R. (1998). Novel approaches to correction of presbyopia with laser modification of the crystalline lens. *J. Refractive Surg.*, *14*, 136-139.
- Navarro, R., & Losada, M.A. (1997). Shape of stars and optical quality of the human eye. *J. Opt. Soc. Am. A.*, *14*, 353-359.
- Navarro, R., & Moreno-Barriuso, E. (1999). Laser ray-tracing method for optical testing. *Opt. Letters*, *24*, 1-3.
- Navarro, R., Santamaría, J., & Bescós, J. (1985). Accommodation-dependent model of the human eye with aspherics. *J. Opt. Soc. Am. A.*, *2*, 1273-1281.
- Neider, M.W., Crawford, K., Kaufman, P.L., & Bito, L.Z. (1990). In vivo videography of the rhesus monkey accommodative apparatus. Age-related loss of ciliary muscle response to central stimulation. *Arch. Ophthalmol.*, *108*, 69-74.
- Nejima, R., Miyata, K., Honbou, M., Tokunaga, T., Tanabe, T., Sato, M., & Oshika, T. (2004). A prospective, randomised comparison of single and three piece acrylic foldable intraocular lenses. *Br. J. Ophthalmol.*, *88*, 746-749.
- Niessen, A.G.J.E., De Jong, L.B., & van der Heijde, G.L. (1992). Pseudo-accommodation in pseudophakia. *Eur. J. Implant. Refr. Surg.*, *4*, 91-94.
- Nishi, O., Nishi, K., & Akura, J. (2001). Effect of round-edged acrylic intraocular lenses on preventing posterior capsule opacification. *J. Cataract Refractive Surg.*, *27*, 608-613.
- Norrby, S., Koopmans, S., & Terwee, T. (2006). Artificial crystalline lens. *Ophthalm. Clin. North. Am.*, *19*, 143-146.
- Ooi, C., & Grosvenor, T. (1995). Mechanisms of emmetropization in the aging eye. *Optom. Vision Sci.*, *72*, 60-66.
- Oshika, T., Kawana, K., Hiraoka, T., Kaji, Y., & Kiuchi, T. (2005). Ocular higher-order wavefront aberration caused by mayor tilting of intraocular lens. *Am. J. Ophthalmol.*,  
 Oshika, T., Klyce, S.D., Applegate, R.A., & Howland, H.C. (1999). Changes in corneal wavefront aberrations with aging. *Invest. Ophthalmol. Vis. Sci.*, *40*, 1351-1355.



## Bibliography

- Ostrin, L.A., & Glasser, A. (2007). Edinger-Westphal and pharmacologically stimulated accommodative refractive changes and lens ciliary process movements in rhesus monkeys. *Exp. Eye Res*, *84*, 302-313.
- Ostrin, L.A., Kasthurirangan, S., Win-Hall, D., & Glasser, A. (2006). Simultaneous measurements of refraction and A-scan biometry during accommodation in humans. *Optom. Vision Sci.*, *83*, 657-665.
- Packer, M., Fine, I.H., Hoffman, R.S., & Piers, P.A. (2004). Improved functional vision with a modified prolate intraocular lens. *J. Cataract Refractive Surg.*, *30*, 986-992.
- Padmanabhan, P., Rao, S.K., Jayasree, R., Chowdhry, M., & Roy, J. (2006). Monochromatic aberrations in eyes with different intraocular lens optic designs. *J. Refractive Surg.*, *22*, 172-177.
- Pandey, S.K., Thakur, J., Werner, L., Wilson, M.E., Werner, L.P., Izak, A.M., & Apple, D.J. (2002). The human crystalline lens, ciliary body and zonules. Their relevance to presbyopia. In: N.S. Thorofare, cop.2002 (Ed.) *Presbyopia: A Surgical Textbook*.
- Pandey, S.K., Wilson, M.E., & Trivedi, R.H. (2001). Pediatric cataract surgery and intraocular lens implantation: current techniques, complications and management. *Int. Ophthalmol. Clin.*, *41*, 175-196.
- Park, B.H., Pierce, M.C., Cense, B., Yun, S.H., Mujat, G.J., Tearney, B.E., Bouma, B.E., & de Boer, J.F. (2005). Real-time fiber-based multi-functional spectral-domain coherence tomography at 1.3  $\mu\text{m}$ . *Opt. Express*, *13*, 3931-3344.
- Pavlin, C.J., Harasiewicz, K., Sherar, M.D., & Foster, F.S. (1991). Clinical use of ultrasound biomicroscopy. *Ophthalmology*, *98*, 287-295.
- Pavlin, C.J., Sherar, M.D., & Foster, F.S. (1990). Subsurface ultrasound microscopi imaging of the intact eye. *Ophthalmology*, *98*, 287-295.
- Peng, Q., Yang, Y., & Zhang, X. (2005). Accommodative intraocular lens. *United States Patent Number: 6926736, Application Number: 453994*, (Alcon, Inc.).
- Pesudovs, K., Dietze, H., Stewart, N.B., & Cox, M. (2005). Effect of cataract surgery incision location and intraocular lens type on ocular aberrations. *J. Cataract Refractive Surg.*, *725-734*.
- Petersen, A.M., Bluth, L.L., & Campion, M. (2000). Delayed posterior dislocation of silicone plate-haptic lenses after nodymium:yag capsulotomy. *J. Cataract Refractive Surg.*, *26*, 1827-1829.
- Phillips, P., Perez-Emmanuelli, J., Rosskothén, H.D., & Koester, C.J. (1988). Measurement of intraocular lens decentration and tilt in vivo. *J. Cataract Refractive Surg.*, *14*, 129-135.
- Pierscionek, B. (1997). Refractive index contours in the human lens. *Exp. Eye Res*, *64*, 887-893.

- Plainis, S., Ginis, H.S., & Pallikaris, A. (2005). The effect of ocular aberrations on steady-state errors of accommodative response. *J. Vision*, *23*, 466-477.
- Porter, J., Guirao, A., Cox, I., & Williams, D. (2001). Monochromatic aberrations of the human eye in a large population. *J. Opt. Soc. Am. A*, *18* (8), 1793-1803.
- Prisant, O., Hoang-Xuan, Proano, C., Hernandez, E., Awad, S., & Azar, D.T. (2002). Vector summation of anterior and posterior corneal topographical astigmatism. *J. Cataract Refractive Surg.*, 1578-1585.
- Qazi, M.A., Pepose, J.S., & Shuster, J.J. (2002). Implantation of scleral expansion band segments for the treatment of presbyopia. *Am. J. Ophthalmol.*, *134*, 808-815.
- Quisling, S., Sjoberg, S., Zimmerman, B., Goins, K., & Sutphin, J. (2006). Comparison of Pentacam and Orbscan II on posterior curvature topography measurements in keratoconus eyes. *Ophthalmology*, *113*, 1629-1632.
- Radhakrishnan, H., & Charman, W.N. (2007). Changes in astigmatism with accommodation *Ophthalmic Physiol. Opt.*, *27*, 275-280.
- Rainer, G., Menapace, R., Vass, C., Annen, D., Findl, O., & Schmetter, K. (1999). Corneal shape changes after temporal and suprolateral 3.0 clear corneal incisions. *J. Cataract Refractive Surg.*, *25*, 1121-1126.
- Rainer, G., Petternel, V., Findl, O., Schmetterer, L., Skorpik, C., Luksch, A., & Drexler, W. (2002). Comparison of ultrasound pachymetry and partial coherence interferometry in the measurement of central corneal thickness. *J. Cataract Refractive Surg.*, *28*, 2065-2066.
- Rajan, M.S., Keilhorn, I., & Bell, J.A. (2002). Partial coherence laser interferometry vs conventional ultrasound biometry in intraocular lens power calculations. *Eye*, *16*, 552-556.
- Ramamirtham, R., Kee, C.S., Hung, L.F., Qiao-Grider, Y., Roorda, A., & Smith, E.r. (2006). Monochromatic ocular wave aberrations in young monkeys. *Vision Res.*, *46*, 3616-3633.
- Reinstein, D.Z., Silverman, R.H., Trokel, S.L., & Coleman, D.J. (1994). Corneal pachymetric topography. *Ophthalmology*, *101*, 432-438.
- Reynolds, A. (1980). Introduction: History of corneal measurement. In : Corneal topography; measuring and modifying the cornea. *New York, Springer Verlag*, 8-10.
- Rocha, K.M., Soriano, E.S., Chalita, M.R., Yamada, A.C., Bottós, J., Bottós, J., Morimoto, L., & Nosé, W. (2006). Wavefront analysis and contrast sensitivity of aspheric and spherical intraocular lenses: a randomized prospective study. *Am. J. Ophthalmol.*, *142*, 750-756.

## Bibliography

- Roorda, A., & Glasser, A. (2004). Wave aberrations of the isolated crystalline lens. *J. Vision*, 4 (4), 250-261.
- Rosales, P., Dubbelman, M., Marcos, S., & Van der Heijde, G.L. (2006). Crystalline lens radii of curvature from Purkinje and Scheimpflug imaging. *J. Vision*, 6, 1057-1067.
- Rosales, P., & Marcos, S. (2006). Phakometry and lens tilt and decentration using a custom-developed Purkinje imaging apparatus: validation and measurements. *J. Opt. Soc. Am. A.*, 23, 509-520.
- Rosales, P., & Marcos, S. (2007). Customized computer models of eyes with intraocular lenses. *Opt. Express*, 15, 2204-2218.
- Rosales, P., Wendt, M., Marcos, S., & Glasser, A. (2007). Changes in the crystalline radii of curvature and lens tilt and decentration during dynamic accommodation in Rhesus Monkeys. *Journal of Vision (accepted for publication)*.
- Salmon, T.O., & van de Pol, C. (2006). Normal-eye Zernike coefficients and root-mean-square wavefronts errors. *J. Cataract Refractive Surg.*, 32, 2064-2074.
- Sasaki, K., Sakamoto, Y., Shibata, T., Nakaizumi, H., & Emori, Y. (1989). Measurement of postoperative intraocular lens tilting and decentration using Scheimpflug images. *J. Cataract Refract. Surg.*, 15 (454-457)
- Schachar, R.A. (1994). Zonular function: a new hypothesis with clinical implications. *Ann. Ophthalmol.*, 26, 36-38.
- Schachar, R.A., Cudmore, D.P., & Black, T.D. (1993). Experimental support for Schachar's hypothesis of accommodation. *Ann. Ophthalmol.*, 25, 404-409.
- Schaeffel, F., Farkas, L., & Howland, H.C. (1987). Infrared photoretinoscope. *App. Opt.*, 26, 1505-1509.
- Schaeffel, F., Howland, H.C., & Farkas, L. (1986). Natural accommodation in the growing chicken. *Vision Res.*, 26, 1977-1993.
- Scheiner, C. (1619). *Oculus, sive fundamentum opticum. Innspruk*, 113.
- Schmack, W.H., & Gerstmeyer, K. (2000). Long-term results of the foldable CeeOn Edge intraocular lens. *J. Cataract Refractive Surg.*, 26, 566-570.
- Schwiegerling, J., Greivenkamp, J., & Miller, J. (1995). Representation of videokeratoscopic height data with Zernike polynomials. *J. Opt. Soc. Am. A.*, 12 (10), 2105-2113.
- Shack, R.V., & Platt, B.C. (1971). Production and use of a lenticular Hartmann screen. *J. Opt. Soc. Am.*, 61, 656.

- Sicam, V.A., Dubbelman, M., & van der Heijde, G.L. (2006). The spherical aberration of the anterior and posterior surface of the human cornea. *J. Opt. Soc. Am. A.*, 23(3), 1300-1306.
- Sicam, V.A., & van der Heijde, G.L. (2006). Topographer reconstruction of the nonrotation-symmetric anterior corneal surface features. *Optom. Vision Sci.*, 83, 910-918.
- Silverman, R.H., Rondeau, M.J., Lizzi, F.L., & Coleman, D.J. (1995). Three dimensional high frequency ultrasonic parameter imaging of anterior segment pathology. *Ophthalmology*, 102, 837-843.
- Simonet, P., & Campbell, M.C.W. (1990). The optical transverse chromatic aberration on the fovea of the human eye. *Vision Res.*, 30, 187-206.
- Sivak, J.G., & Kreuzer, R.O. (1983). Spherical aberration of the crystalline lens. *Vision Res.*, 23, 59-70.
- Smirnov, M.S. (1961). Measurement of the wave aberration of the human eye. *Biofizika*, 6, 687-703.
- Smith, G., & Atchison, D. (2001). The gradient index and spherical aberration of the lens of the human eye. *Ophthalmic Physiol. Opt.*, 21 (4), 317-326.
- Smith, G., Atchison, D., & Pierscionek, B. (1992). Modeling the power of the aging human eye. *J. Opt. Soc. Am. A.*, 9, 2111-2117.
- Smith, G., Cox, M., Calver, R., & Garner, L.F. (2001). The spherical aberration of the crystalline lens of the human eye. *Vision Res.*, 41 (2), 235-243.
- Smith, G., & Garner, L.F. (1996). Determination of the radius of curvature of the anterior lens surface from the Purkinje images. *Ophthalmic Physiol. Opt.*, 16 (2), 135-143.
- Smith, P. (1883). Diseases of crystalline lens and capsule. *Trans. Ophthalmol. Soc. UK.*, 3, 79-99.
- Smolek, M.K., Klyce, S.D., & Sarver, E.J. (2002). Inattention to nonsuperimposable midline symmetry causes wavefront analysis error. *Archives of Ophthalmology*, 120 (4), 439-447.
- Sorsby A, Benjamin B, & Sheridan M (1961). Refraction and its components during the growth of the eye from the age of three. (London: Medical Research Council Special Report Series.
- Spierer, A., & Shalev, B. (2003). Presbyopia among normal individuals. *Graefes Arch Clin Exp Ophthalmol.*, 241, 101-105.
- Stachs, O., Schneider, H., Stave, J., & Guthoff, R. (2005). Potentially accommodating intraocular lenses- an in vitro and in vivo study using three-dimensional high-frequency ultrasound. *J. Refractive Surg.*, 21, 321-323.

Steinert, R., & Deacon, J. (1996). Enlargement of incision width during phacoemulsification and folded intraocular lens implant surgery. *Ophthalmology*, *103*, 220-225.

Strenk, S., Strenk, L., & Koretz, J.F. (2005). The mechanism of presbyopia. *Prog Retin Eye Res.*, *24*, 379-393.

Strenk, S., Strenk, L., Semmlow, J., & DeMarco, J. (2004). Magnetic resonance imaging study the effects of age and accommodation on the human lens cross-sectional area. *Invest. Ophthalmol. Vis. Science*, *45*, 539-545.

Strenk, S.A., Semmlow, J.L., & Strenk, L.M. (1999). Age-related changes in human ciliary muscle and the lens: a magnetic resonance imaging study. *Invest. Ophthalmol. Vis. Science*, *40*, 1162:1169.

Strenk, S.A., & Strenk, L.M. (2006). Magnetic resonance imaging of aging, accommodating, phakic, and pseudophakic ciliary muscle diameter. *J. Cataract Refractive Surg.*, *32*, 1792-1798.

Sverker, N., Artal, P., Ann Piers, P., & Van Der Mooren, Z. (2003). Methods of obtaining ophthalmic lenses providing the eye with reduced aberrations. (United States Patent Number: 7137702 , Application Number: 10768755)

Swanson, E.a., Huang, D., Hee, M.R., Fujimoto, J.G., Lin, C.P., & Puliavito, C.A. (1992). High-Speed optical coherence domain reflectometry. *Opt. Lett.*, *17*, 151-153.

Tabenero, J., Piers, P.A., & Artal, P. (2007). Intraocular lens to correct corneal coma. *Opt. Lett.*, *32*, 406-408.

Tabernerero, J., Piers, P., Benito, A., Redondo, M., & Artal, P. (2006). Predicting the optical performance of eyes implanted with IOLs to correct spherical aberration. *Invest. Ophthalmol. Vis. Science*, *47*, 4651-4658.

Tamm, S., Tamm, E., & Rohe, J.W. (1992). Age-related changes of the human ciliary muscle. A quantitative morphometric study. *Mech. Aging Dev.*, *62*, 209-221.

Thibos, L., Hong, X., Bradley, A., & Cheng, X. (2002). Statistical variation of aberration structure and image quality in a normal population of healthy eyes. *J. Opt. Soc. Am. A.*, *19*, 2329-2348.

Thibos, L.N. (1987). Calculation of the influence of lateral chromatic aberration on image quality across the visual field. *J. Opt. Soc. Am. A.*, *4*, 1673-1680.

Thibos, L.N., Applegate, R.A., Schwiegerling, J.T., Webb, R.H., & Members, V.S.T. (2000). Standards for reporting the optical aberrations of eyes. *Vision Science and its Applications, OSA Trends in Optics & Photonics*, *35*, 110-130.

Thibos, L.N., Bradley, A., Still, D.L., Zhang, X., & Howarth, P.A. (1990). Theory and measurement of ocular chromatic aberration. *Vision Res.*, *30*, 33-49.

- Tomlinson, A., Hemenger, R.P., & Garriott, R. (1993). Method for estimating the spheric aberration of the human crystalline lens in vivo. *Invest. Ophthalmol. Vis. Science*, 34 (3), 621-629.
- Tran, S.T., & van Noy, S.J. (2003). Anterior chamber phakic lens. *United States Patent Number: 6562070, Application Number: 44763*, (United States: Alcon, Inc.)
- Tscherning, M. (1894). Die monochromatischen Aberrationen des menschlichen Auges. *Z. Physiol. Sinne*, 6, 456-471.
- Tscherning, M. (1904). Physiologic Optics. *Philadelphia PA: The Keystone*, 160-189.
- Tyson, R.K. (1997). Principles of adaptive optics. (San Diego, CA, USA: Academic Press, 2nd edn.)
- van der Heijde, G.L., Beers, A.P.A., & Dubbelman, M. (1996). Microfluctuations during steady state accommodation measured with echography. *Ophthalmic Physiol. Opt.*, 16, 216-221.
- van der Heijde, G.L., Dubbelman, M., & Beers, A.P.A. (1999). Continuous ultrasonographic biometry (CUB) used to measure thickening and translation of the aging lens. *Optical Society of America Technical Digest*, 110-113.
- van der Heijde, G.L., & Weber, J. (1989). Accommodation used to determine ultrasound velocity in the human lens. *Optom. Vis. Sci.*, 66, 830-833.
- van Meeteren, A. (1974). Calculations on the optical modulation transfer function of the human eye for white light. *Optica Acta*, 21, 395-412.
- van Meeteren, A., & Dunnewold, C.J. (1983). Image quality of the human eye for eccentric entrance pupils. *Vision Res.*, 23, 573-579.
- Van Veen HG, G.D. (1988). Simplified system of Purkinje image photography for phakometry. *Am. J. Optom. Physiol. Opt.*, 65, 905.
- Vilupuru, A., & Glasser, A. (2002). Dynamic accommodation in rhesus monkeys. *Vision. Res.*, 42, 125-141.
- Vilupuru, A., & Glasser, A. (2003). Dynamic accommodative changes in rhesus monkey eyes assessed with A-scan ultrasound biometry. *Optom. Vis. Sci*, 80, 383-394.
- Vilupuru, A., & Glasser, A. (2005). The relationship between refractive and biometric changes during Edinger-Westphal stimulated accommodation in rhesus monkeys. *Exp. Eye Res.*, 80, 349-360.
- Vilupuru, A., Roorda, A., & Glasser, A. (2004). Spatially variant changes in lens power during ocular accommodation in a rhesus monkey eye. *J. Vision*, 22, 299-309.
- Von Helmholtz, H. (1855). Über die akkommodation des auges. *Albrecht von Graefe's Arch. Ophthalmol.*, 1, 1-74.

Walsh, G., & Charman, W.N. (1985). Measurement of the axial wavefront aberration of the human eye. *Ophthalmic Physiol. Opt.*, 5, 23-31.

Walsh, G., & Charman, W.N. (1988). The effect of pupil centration and diameter on ocular performance. *Vision Res.*, 28, 659 - 665.

Walsh, G., Charman, W.N., & Howland, H.C. (1984). Objective technique for the determination of monochromatic aberrations of the human eye. *J. Opt. Soc. Am. A.*, 1, 987-992.

Wang, L., Dai, E., Koch, D., & Nathoo, A. (2003). Optical aberrations of the human anterior cornea. *J. Cataract Refractive Surg.*, 29, 1514-1521.

Wang, L., & Koch, D. (2003). Ocular higher-order aberrations in individuals screened for refractive surgery. *J. Cataract Refractive Surg.*, 29, 1896-1903.

Wang Meng-Chi, Woung Lin-Chung, Hu Chao-Yu, & Han-Chin., K. (1998). Position of poly(methyl methacrylate) and silicone intraocular lenses after phacoemulsification. *J. Cataract Refractive Surg.*, 24, 1652-1657.

Webb, R.H., Penney, C.M., & Thompson, K.P. (1992). Measurement of ocular wavefront distortion with a spatially resolved refractometer. *Appl. Opt.*, 31, 3678-3686.

Weeber, H.A., & van der Heijde, G.L. (2007). On the relationship between lens stiffness and accommodative amplitude. *Exp. Eye Res (Accepted for publication)*.

Wilson, S.E. (2000). Cautions regarding measurements of the posterior corneal curvature. *Ophthalmology*, 107, 1223.

Willekens, B., Kappelhof, J.P., & Vrensen, G.F.J.M. (1987). Morphology of the aging human lens. *Lens. Res.*, 4, 207-230.

Wulfeck, J. (1955). Infrared Photography of the So-Called Third Purkinje Image. *J. Opt. Soc. Am.*, 45, 928-931.

Y Bron, A.J., Vrensen, G.F.J.M., Koretz, J.F., Maraini, G., & Harding, J.J. (2000). The ageing lens. *Ophthalmologica.*, 214, 86-104.

Yabo, Y., Thompson, K., & Burns, S.A. (2002). Pupil location under mesopic, photopic and pharmacologically dilated conditions. *Invest. Ophthalmol. Vis. Sci.*, 43, 2508-2512.

Yun, S.H., Tearney, B.E., De Boer, J.F., Iftimia, N., & Bourna, B.E. (2003). High-speed optical frequency-domain imaging. *Opt. Express*, 11, 2953-2963.

Zadnik, K., Mutti, D., & Adams, A. (1992). The repeatability of measurement of the ocular components. *Invest Ophthalmol Vis Sci*, 33, 2325-2333.

Zadnik, K., Mutti, D.O., Fusaro, R.E., & Adams, A.J. (1995). Longitudinal evidence of crystalline lens thinning in children. *Invest. Ophthalmol. Vis. Sci.*, 36, 1581-1587.

Zadnik, K., Mutti, D.O., Mitchell, G.L., Jones, L.A., Burr, D., & Moeschberger, M.L. (2004). Normal eye growth in emmetropic schoolchildren. *Optom. Vision Sci.*, 81, 819-828.

Zernike, F. (1934). *Physica*. 1:689.